



## IVC 60/30 Tact<sup>2</sup>

Compact industrial vacuum for cleaning manufacturing areas and production machinery. Suitable for continuous use thanks to the wear-resistant side channel compressor.



### 1 Wear-resistant side channel blower

- Filter designed to allow uninterrupted use with constant high suction power.

### 2 Wear-resistant side channel blower

- Filter designed to allow uninterrupted use with constant high suction power.

## IVC 60/30 Tact<sup>2</sup>

- Antistatic equipment
- Liquid cut-off
- Integrated cyclone for pre-separation system

### Technical data


|                               |                              |                  |
|-------------------------------|------------------------------|------------------|
| <b>Order No.</b>              | 1.576-101.0                  |                  |
| <b>EAN code</b>               | 4039784463707                |                  |
| <b>Current type</b>           | <b>Ph / V / Hz</b>           | 3 / 400 / 50     |
| <b>Air flow</b>               | <b>l/s / m<sup>3</sup>/h</b> | 68 / 244.8       |
| <b>Vacuum</b>                 | <b>mbar / kPa</b>            | 286 / 28.6       |
| <b>Container capacity</b>     | <b>l</b>                     | 60               |
| <b>Rated input power</b>      | <b>kW</b>                    | 3                |
| <b>Filter area</b>            | <b>m<sup>2</sup></b>         | 1.9              |
| <b>Nominal size</b>           | DN 70                        |                  |
| <b>Accessory nominal size</b> | DN 50 / DN 40                |                  |
| <b>Sound level</b>            | <b>dB(A)</b>                 | 77               |
| <b>Weight</b>                 | <b>kg</b>                    | 95               |
| <b>Dimensions (L x W x H)</b> | <b>mm</b>                    | 970 × 690 × 1240 |

### Equipment

|                             |    |
|-----------------------------|----|
| <b>Accessories included</b> | No |
|-----------------------------|----|

# IVC 60/30 TACT<sup>2</sup>

## 1.576-101.0



|                                   |   | Order No.   | Quantity   | ID | Length | Width | Price | Description   |                          |
|-----------------------------------|---|-------------|------------|----|--------|-------|-------|---|--------------------------|
| <b>Flat pleated filter, paper</b> |   |             |            |    |        |       |       |   |                          |
| Flat pleated filter               | 1 | 6.907-276.0 | 1 piece(s) |    |        |       |       | Flat pleated filter dust class M, nano-coated paper. Suitable for fine dust and dry dirt pick up. | <input type="checkbox"/> |
| <b>Flat pleated filter, PTFE</b>  |   |             |            |    |        |       |       |   |                          |
|                                   | 2 | 6.907-449.0 | 1 piece(s) |    |        |       |       |   | <input type="checkbox"/> |